

## The L<sup>A</sup>T<sub>E</sub>X package `showexpl`

### Examples

1	The <code>overhang</code> parameter . . . . .	1
2	The <code>wide</code> parameter . . . . .	1
3	The <code>overhang</code> parameter again . . . . .	2
4	The <code>wide</code> parameter again . . . . .	2
5	Floating Example . . . . .	3
6	The <code>graphic</code> parameter . . . . .	4
7	Fix width of the result (side-by-side default: <code>0.5\linewidth</code> ) .	5
8	The <code>varwidth</code> parameter . . . . .	5
9	Fix width of the result (default: <code>\linewidth</code> ) . . . . .	5
10	The <code>justification</code> parameter . . . . .	5

### The `listings` parameters still works

```
LATEX LATEX LATEX LATEX
```

```
\Large\LaTeX{} \LaTeX{}  
\LaTeX{} \LaTeX{}
```

|——— half text area ———|——— half text area ———|——— margin area ———|

### The `pos`, `overhang`, and `caption` parameters

#### Example 1: The `overhang` parameter

```
1 \Large\LaTeX{} \LaTeX{}  
2 \LaTeX{} \LaTeX{}
```

```
LATEX LATEX LATEX LATEX
```

|——— half text area ———|——— half text area ———|——— margin area ———|

```
LATEX LATEX LATEX LATEX
```

```
1 \Large\LaTeX{} \LaTeX{}  
2 \LaTeX{} \LaTeX{}
```

|——— half text area ———|——— half text area ———|——— margin area ———|

### The `wide` parameter with inner and outer position

#### Example 2: The `wide` parameter

```
1 \Large\LaTeX{} \LaTeX{}  
2 \LaTeX{} \LaTeX{}
```

```
LATEX LATEX LATEX LATEX
```

|——— half text area ———|——— half text area ———|——— margin area ———|

```
LATEX LATEX LATEX LATEX
```

```
1 \Large\LaTeX{} \LaTeX{}  
2 \LaTeX{} \LaTeX{}
```

## More examples on an even (left) page

LATEX LATEX LATEX LATEX

```
1 \Large\LaTeX{} \LaTeX{}  
2 \LaTeX{} \LaTeX{}
```

margin area | half text area | half text area

```
1 \Large\LaTeX{} \LaTeX{}  
2 \LaTeX{} \LaTeX{}
```

LATEX LATEX LATEX LATEX

**Example 3:** The overhang parameter again

margin area | half text area | half text area

LATEX LATEX LATEX LATEX

```
1 \Large\LaTeX{} \LaTeX{}  
2 \LaTeX{} \LaTeX{}
```

margin area | half text area | half text area

LATEX LATEX LATEX LATEX

```
1 \Large\LaTeX{} \LaTeX{}  
2 \LaTeX{} \LaTeX{}
```

**Example 4:** The wide parameter again

margin area | half text area | half text area

```
1 \Large\LaTeX{} \LaTeX{}  
2 \LaTeX{} \LaTeX{}
```

LATEX LATEX LATEX LATEX

**Example 5:** This is a floating Example (parameter rangeaccept=true)

```
3 Line 3 \par  
4 Line 4 \par  
5 Line 5 \par  
6 Line 6 \par  
8 Line 8 \par  
9 Line 9 \par  
10 Line 10 \par
```

Line 3  
Line 4  
Line 5  
Line 6  
Line 8  
Line 9  
Line 10

Whole L<sup>A</sup>T<sub>E</sub>X documents as example code and the parameters **preset**, **rframe**, and **rangeaccept**

```

1 \documentclass[a4paper,twoside]{article}
2 \begin{document}
3   \begin{equation}
4     \sigma(t) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^t e^{-x^2/2} dx
5   \end{equation}
6 \end{document}
7 
```

$$\sigma(t) = \frac{1}{\sqrt{2\pi}} \int_0^t e^{-x^2/2} dx \quad (1)$$

\_\_\_\_\_ half text area \_\_\_\_\_ half text area \_\_\_\_\_ margin area \_\_\_\_\_

$$H_c = \frac{1}{2n} \sum_{l=0}^n (-1)^l (n-l)^{p-2} \sum_{l_1+\dots+l_p=l} \prod_{i=1}^p \binom{n_i}{l_i} \cdot [(n-l) - (n_i - l_i)]^{n_i - l_i} \cdot \left[ (n-l)^2 - \sum_{j=1}^p (n_i - l_i)^2 \right]. \quad (2)$$

```

1 \documentclass[a4paper,twoside]{article}
2 \usepackage{amsmath}
3 % enhancements for mathematical formulas
4 \begin{document}
5 \begin{equation}\label{eq:barwq}
6 \begin{split}
7 H_c &= \frac{1}{2n} \\
8 &\sum_{l=0}^n (-1)^l (n-l)^{p-2} \\
9 &\sum_{\substack{l_1+\dots+l_p=l \\ i_1,\dots,i_p}} \prod_{i=1}^p \\
10 &\binom{n_i}{l_i} \\
11 &\quad \cdot \cdots \\
12 &\Biggl[ (n-1)^{2-p} - \sum_{j=1}^p (n_{i-1} - i_j)^{2-p} \Biggr].
13 \end{split}
14 \end{equation}
15 \end{document}

```

margin area | half text area | half text area |

### Using a graphic as the result

```
1 \Large\LaTeX{} \LaTeX{}  
2 \LaTeX{} \LaTeX{}
```

LATEX LATEX LATEX LATEX

```
1 \Large\LaTeX{} \LaTeX{}  
2 \LaTeX{} \LaTeX{}
```




```
1 \Large\LaTeX{} \LaTeX{}  
2 \LaTeX{} \LaTeX{}
```




**Example 6:** The `graphic` parameter

## The parameter `varwidth`




**Example 7:** Fix width of the result (side-by-side default: `0.5\linewidth`)



**Example 8:** Width of the result reduced to the “natural” width (`varwidth=true`)



**Example 9:** Fix width of the result (default: `\ linewidth`)



**Example 10:** Result is centered (`varwidth=true`)